

# A COMPARATIVE ANALYSIS Analysing Global Immunisation Expenditure



Ellie Tunnicliffe Helen Hayes Phill O'Neill Soo Chin Yen Simon Brassel Lotte Steuten ohe.org



#### **APRIL 2025**

### A COMPARATIVE ANALYSIS Analysing Global Immunisation Expenditure

**Ellie Tunnicliffe** Office of Health Economics, London

Helen Hayes

Office of Health Economics, London

Phill O'Neill Office of Health Economics, London

Soo Chin Yen Office of Health Economics; London

**Simon Brassel** Office of Health Economics, London

Lotte Steuten Office of Health Economics, London

#### Please cite this report as:

Tunnicliffe E., Hayes H., O'Neill P., Yen S., Brassel S., Steuten L., 2025. Analysing Global Immunisation Expenditure. OHE Contract Research Report, London: Office of Health Economics. Available at: <a href="https://www.ohe.org/publications/analysing-global-immunisation-expenditure">https://www.ohe.org/publications/analysing-global-immunisation-expenditure</a>

**Corresponding Author:** Helen Hayes

hhayes@ohe.org

#### For further information please contact:

#### Professor Graham Cookson

Chief Executive, OHE Honorary Visiting Professor in Economics at City, University of London

 Tel
 +44 (0)207 747 1408

 Email
 gcookson@ohe.org





### About OHE Contract Research Reports

Many of the studies OHE performs are proprietary and the results are not released publicly. Studies of interest to a wide audience, however, may be made available, in whole or in part, with the client's permission. They may be published by OHE alone, jointly with the client, or externally in scholarly publications. Publication is at the client's discretion.

Studies published by OHE as OHE Contract Research Reports are subject to internal quality assurance and undergo external review, usually by a member of OHE's Editorial Panel. Any views expressed are those of the authors and do not necessarily reflect the views of OHE as an organisation.

#### Funding and Acknowledgements

This contract research report was commissioned and funded by Pfizer.



## Table of Contents

Executi	ive Summary	iv
	- Findings	
Policy	y Recommendations	v
Glossar	ry	vii
	ntroduction	
1.1	Background	
1.2	Outline	
2 D	Data	3
3 C	Cross-country trends and relationships	6
3.1	Section aims and methods	6
3.2	Breakdown of expenditure trends over time	6
3.3	Comparison of key indicators between countries	11
4 L	earnings from individual countries	18
4.1	Country score cards	
4.2	Key successes, opportunities and challenges for adult immunisation programmes	18
5 D	Discussion	23
5.1	Summary of findings	23
5.2	Opportunities for improvement	24
6 R	References	27
Append	lix A: Country Score Cards	33
Austr	alia	
	Ι	
	da	
	De	
	nany	
,		
	n	
	n Korea	
UK		
	dix B: The International Classification of Health Accounts (ICHA)	
Append	lix C: Data availability for coverage	55



# **Executive Summary**

Immunisation programmes are foundational to public health. Organised by health authorities, they systematically deliver vaccines to susceptible populations to prevent the spread of infectious diseases. They are a safe and cost-effective strategy to save lives and reduce long-term health care costs, while also providing broader societal economic impacts. The latter impact has been most clearly demonstrated by COVID-19 vaccination programmes, which facilitated the easing of stay-at-home measures, enabling economic recovery and the reintroduction of social and workplace activities.

Despite their proven societal and economic benefits, funding for immunisation programmes remains disproportionately low and vulnerable to economic shocks. As a form of prevention, immunisation helps stop diseases before they occur, complementing other preventative measures such as health education and early disease detection (e.g. screening). As such, funding immunisation requires making investment decisions today to secure potentially large long-term benefits.

To inform related decision-making processes, this summary outlines key findings, trends, and actionable recommendations based on an analysis of prevention and immunisation spending as well as vaccine-preventable health outcomes and coverage over the period of 2016 to 2022 across ten countries (Australia, Brazil, Canada, France, Germany, Italy, Japan, Mexico, South Korea and the United Kingdom).

### Key Findings

#### Low spending on immunisation contrasts with the value of immunisation

Immunisation expenditure averages only 0.08% of GDP among analysed countries. This is low compared to healthcare spending, with mean immunisation expenditure being just 0.3% and 0.7% of overall health care expenditure during the period 2016-2019 and 2020-22, respectively. Funding for immunisation is often among the first to be cut during economic downturns, jeopardising public health resilience.

COVID-19 temporarily boosted immunisation budgets, with some countries quadrupling their spending between 2016-19 and 2020-22. However, this was in response to a global health emergency and is not indicative of future investment into immunisation.

The level of spending on immunisation is at odds with the evidence regarding the value of immunisation. This analysis shows that a \$100 per capita increase in immunisation spending (prior to 2020) correlates with three fewer vaccine-preventable deaths per 100,000 people. The evidence in this report supports the growing evidence base that investment in vaccination programmes is a highly valuable healthcare policy intervention. Previous research showed that adult immunisation programmes can deliver up to 19 times their cost in societal value, underscoring their economic efficiency and welfare creating potential (El-Banhawi et al., 2023).

Nevertheless, gaps in coverage persist. This report monitored coverage rates for three key programmes with comprehensive data reporting (adult influenza, adolescent HPV and child measles). Many countries in the analysis do not achieve the WHO's 95% target for childhood measles, 90% for HPV, or 75% for adult influenza vaccines. Variation in vaccine coverage and programme availability exists, with adult immunisation in particular remaining underfunded and



underreported. Many other key programmes do not regularly report and publish data on coverage, both for adult programmes (such as COVID-19, pneumococcal and herpes zoster) and adolescent programmes (such as meningococcal).

#### Data gaps hinder effective policy-making and monitoring

Data on immunisation spending by age group and programme is limited, and coverage data for adult vaccines, such as COVID-19, pneumococcal, herpes zoster, and influenza, is also suboptimal. Among these, influenza has the most comprehensive reporting. These data gaps obscure areas of high-need and opportunities for improvement.

#### Policy Recommendations

**Prioritise valuable immunisation programmes:** We call on Governments to re-assess whether their national immunisation budgets are adequate to unlock the full value potential of a life-course immunisation approach. Increasing the overall share of immunisation spending as a proportion of healthcare spending and of GDP should actively be considered.

**Increase and stabilise funding:** We recommend that Governments review approaches to increase and protect budgets for prevention and immunisation.

- Strategic approaches should be explored to increase immunisation funding in absolute and relative terms. A novel prevention investment standard could address the comparative underfunding of vaccination.
- Prevention budgets must also be sustained to ensure consistent and adequate financing. Establishing dedicated prevention funds can safeguard immunisation programmes from economic fluctuations.

**Enhance programme effectiveness:** The effectiveness of programme delivery plays a crucial role in its success where public resources are constrained. Policymakers should review how vaccines are delivered to help improve coverage rates and deliver a more efficient programme, recognising that different approaches may be needed for adult, adolescent, and child programmes.

- Expanding vaccination options, including administration in pharmacies, could improve access, better meet population needs, and reduce pressure on other primary care services.
- Integrating vaccination into routine health care services, such as annual check-ups or chronic disease management, can improve accessibility and uptake.
- Adopting digital health tools, including electronic vaccination records and reminder systems, can streamline programme delivery and enhance data accuracy.

**Improve data collection and reporting:** Improved data collection is required to identify and enable focus on areas requiring additional support and resources, in particular for adult vaccination programmes, to maximise the health and broader economic impact.

- Health systems should report disaggregated data on immunisation expenditure by adult, adolescent, and paediatric, as well as by vaccine type, to enable targeted resource allocation.
- Enhanced morbidity and mortality tracking related to vaccine-preventable diseases can provide a more comprehensive picture of immunisation programme's impact.





**Conclusion:** By addressing funding gaps, implementing data-driven strategies, and promoting equitable access, healthcare and finance policymakers can build resilient healthcare systems that deliver long-term health and economic benefits. Immunisation is not only an effective health care intervention but a strategic investment in national prosperity and biosecurity. Further research is needed to evaluate the appropriate levels of funding required which reflect the value of immunisation.





# Glossary

Acronym	Term				
BCG	Bacillus Calmette-Guérin vaccine (for tuberculosis)				
C19	COVID-19 vaccine				
Den	Dengue vaccine				
Dip	Diptheria vaccine				
DTP3	3 <sup>rd</sup> dose of diptheria, tetanus and pertussis vaccine				
Flu	Influenza vaccine				
GDP	Gross domestic product				
Нер А	Hepatitis A vaccine				
Нер В	Hepatitis B vaccine				
HIB	Haemophilus influenza type B vaccine				
HPV	Human papillomavirus vaccine				
HZ	Herpes zoster vaccine				
IHME	Institute for Health Metrics and Evaluation				
JE	Japanese encephalitis vaccine				
MCV2	Second dose of the Measles-Containing Vaccine (MCV)				
Me	Measles vaccine				
Men	Meningococcal (Men ACWY or B) vaccine				
Mu	Mumps vaccine				
OECD	Organisation for Economic Co-operation and Development				
PCV	Pneumococcal vaccine				
PCV3	3 <sup>rd</sup> dose of pneumococcal containing vaccine				
Pert	Pertussis vaccine				
Pol	Polio vaccine				
Rab	Rabies vaccine				
RSV	Respiratory syncytial virus vaccine				
Ru	Rubella vaccine				
RV	Rotavirus vaccine				
Tet	Tetanus vaccine				
Typh	Typhoid vaccine				
Var	Varicella vaccine				
WHO	World Health Organisation				
YF	Yellow fever vaccine				



# Definitions

Immunisation programmePublic health initiatives designed to deliver vaccines to susceptible populations, protecting populations from vaccine-preventable diseases.PreventionActivities designed to avoid disease and identify risk factors, including health education, early disease detection and immunisation programmes.PreventionA framework establishing spending plans on preventative health measures, which could require health systems to identify current prevention expenditure and commit to growing it faster than their overall budget to address historical underinvestment.InternationalAn internationally recognised system for healthcare expenditure categorisation designed by the OCED for standardised reporting.Health Accounts (ICHA)The ICHA code representing total healthcare expenditure.ICA Code ICHA CodeThe ICHA code representing preventative care expenditure.HC.6.2The ICHA code representing immunisation programmes.ICC.6The ICHA code representing immunisation programmes.ICA Code ICCA CodeA WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.Immunisation Agenda 2030A WHO ramework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DtP3 (child), MCV2 (child), HPV (adelescent) and PCV3 (adult) vaccines.Vaccine Preventable MortalityA vaccination strategy that addresses the health needs of individuals at all specific vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.Vaccine Preventable <b< th=""><th>Term</th><th>Definition</th></b<>	Term	Definition
Prevention programme         Activities designed to avoid disease and identify risk factors, including health education, early disease detection and immunisation programmes.           Prevention         A farework establishing spending plans on preventative health measures, which could require health systems to identify current prevention expenditure and commit to growing it faster than their overall budget to address historical underinvestment.           International         An internationally recognised system for healthcare expenditure categorisation designed by the OCED for standardised reporting.           ICHA         Code         The ICHA code representing total healthcare expenditure.           ICHA         Code         The ICHA code representing preventative care expenditure.           IC.6         The ICHA code representing immunisation programmes.           IPC.62         WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.           Immunisation         A WHO vaccine framework adopted by the World Health Assembly in 2012.           Vaccine         Deaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.           ILfe-Course         A vaccination strategy that addresses the health needs of individuals at all specific vaccination strategy that addresses the needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.	Immunisation	
programmeeducation, early disease detection and immunisation programmes.PreventionA framework establishing spending plans on preventative health measures, which could require health systems to identify current prevention expenditure and commit to growing it faster than their overall budget to address historical underinvestment.InternationalAn internationally recognised system for healthcare expenditure categorisation designed by the OCED for standardised reporting.InternationalAn internationally recognised system for healthcare expenditure categorisation designed by the OCED for standardised reporting.ICHA CodeThe ICHA code representing total healthcare expenditure.HC.HTOTICHA CodeICHA CodeThe ICHA code representing preventative care expenditure.HC.6ICHA CodeICHA CodeThe ICHA code representing immunisation programmes.HC.6.2ICHA code representing immunisation programmes.Programme onaccess to all important vaccines for all children.ImmunisationA WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.IA2030A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), Agenda 2030ILfe-CourseA vaccination strategy that addresses the health needs of individuals at all specific vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines	programme	
Prevention Investment         A framework establishing spending plans on preventative health measures, which could require health systems to identify current prevention expenditure standard           International         An internationally recognised system for healthcare expenditure categorisation classification of Health           Accounts         An internationally recognised system for healthcare expenditure categorisation designed by the OCED for standardised reporting.           Health         Accounts           (ICHA)         ICHA Code           The ICHA code representing total healthcare expenditure.           HC.6         The ICHA code representing preventative care expenditure.           HC.6.2         The ICHA code representing immunisation programmes.           FPI (Expanded         WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.           Mumunisation         A WHO vaccine framework adopted by the World Health Assembly in 2012.           This ran until 2020 and was replaced by IA2030.         A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), Agenda 2030           Vaccine-         Deaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory Mortality           Utfe-Course         A vaccination strategy that addresses the health needs of individuals at all Approach to strategs of lif	Prevention	
Investment standardwhich could require health systems to identify current prevention expenditure and commit to growing it faster than their overall budget to address historical underinvestment.International Classification of Health Accounts (ICHA)An internationally recognised system for healthcare expenditure categorisation designed by the OCED for standardised reporting.ICHA Code HC.HTOTThe ICHA code representing total healthcare expenditure.ICHA Code HC.6The ICHA code representing preventative care expenditure.HC.6 CodeThe ICHA code representing immunisation programmes.ICCA Code Programme on Immunisation)WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.VACcine VaccineA WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.Vlacine PreventableA WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine PreventableA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.	programme	
standardand commit to growing it faster than their overall budget to address historical underinvestment.InternationalAn internationally recognised system for healthcare expenditure categorisation designed by the OCED for standardised reporting.Health Accounts (ICHA)The ICHA code representing total healthcare expenditure.ICHA Code HC.HTOTThe ICHA code representing preventative care expenditure.ICHA Code ICHA CodeThe ICHA code representing preventative care expenditure.ICA Code ICHA CodeThe ICHA code representing immunisation programmes.HC.6EPI (Expanded Vaccine ActionINP (Global Plan)A WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.IA2030 (Immunisation)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.Plan)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine PreventableDeaths from chiedaeses that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory MortalityLife-Course ApproachA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Present	Prevention	
underinvestment.InternationalAn internationally recognised system for healthcare expenditure categorisation designed by the OCED for standardised reporting.HealthAccounts(ICHA)ICHA CodeICHA CodeThe ICHA code representing total healthcare expenditure.HC.HTOTICHA CodeICHA CodeThe ICHA code representing preventative care expenditure.HC.6ICHA CodeICHA CodeThe ICHA code representing immunisation programmes.HC.6.2ICHA CodeEPI (ExpandedWHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.Immunisation)A WHO vaccine framework adopted by the World Health Assembly in 2012.This ran until 2020 and was replaced by IA2030.Plan)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- PreventableDeaths from diseases that could have been prevented through vaccination. For Approach to infuenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Pregramme)AbsenteeismMissing work due to illness.Present	Investment	
International Classification of Health Accounts (ICHA)An internationally recognised system for healthcare expenditure categorisation designed by the OCED for standardised reporting.ICHA Code HC.HTOTThe ICHA code representing total healthcare expenditure.ICHA Code HC.6The ICHA code representing preventative care expenditure.ICHA Code HC.6The ICHA code representing immunisation programmes.ICHA Code HC.6.2The ICHA code representing immunisation programmes.Programme on Immunisation)WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.IA2030 (Immunisation)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation Agenda 2030)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Deaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course A vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National Immunisation Programme)Country-specific schedules of recommended or required vaccines provided through public health services.Programme)Missing work due to illness.Presenteeism<	standard	
Classification of Health Accounts (ICHA)designed by the OCED for standardised reporting. Health Accounts (ICHA)ICHA Code HC.HTOTThe ICHA code representing total healthcare expenditure. HC.AICHA Code HC.6The ICHA code representing preventative care expenditure. HC.6ICHA Code HC.6.2The ICHA code representing immunisation programmes. HC.6.2PPI (Expanded Programme on Immunisation)WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.IMMUNISATIONA WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine Preventable Approach to Immunisation Avaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. Immunisation NIP (National Immunisation Programme)Country-specific schedules of recommended or required vaccines provided through public health services. Programme)NIP (National Immunisation Programme)Country-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
Health Accounts (ICHA)ICHA Code HC.HTOTThe ICHA code representing total healthcare expenditure.ICHA Code HC.6The ICHA code representing preventative care expenditure.HC.6ICHA CodeICHA Code HC.6.2The ICHA code representing immunisation programmes.HC.6.2EPI (Expanded programme on access to all important vaccines for all children.Immunisation)A WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.Vaccine Action Plan)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.Vaccine- Preventable MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable MortalityDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course A vaccination INIP (National Immunisation NIP (National Programme)Country-specific schedules of recommended or required vaccines provided through public health services.Programme) AbsenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
Accounts (ICHA)The ICHA code representing total healthcare expenditure.ICHA Code HC.HTOTThe ICHA code representing preventative care expenditure.ICHA Code HC.6The ICHA code representing preventative care expenditure.HC.6The ICHA code representing immunisation programmes.HC.6.2EPI (Expanded Programme on Immunisation)GVAP (Global Vaccine Action Plan)WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.IA2030 (Immunisation)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), Agenda 2030)Agenda 2030 (Immunisation access that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course A vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. Immunisation Programme)NIP (National Immunisation Programme)Country-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		designed by the OCED for standardised reporting.
(ICHA)ICHA Code HC.HTOTThe ICHA code representing total healthcare expenditure.ICHA Code HC.6The ICHA code representing preventative care expenditure.ICHA Code HC.6.2The ICHA code representing immunisation programmes.ICHA Code HC.6.2The ICHA code representing immunisation programmes.Berl (Expanded Programme on Immunisation)WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.GVAP (Global Vaccine Action Plan)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 Agenda 2030A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable Deaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course A vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National Programme)Country-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
ICHA Code HC.HTOTThe ICHA code representing total healthcare expenditure.ICHA Code HC.6The ICHA code representing preventative care expenditure.HC.6ICHA CodeThe ICHA code representing immunisation programmes.ICHA Code ICHA CodeThe ICHA code representing immunisation programmes.HC.6.2WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.Immunisation)A WHO vaccine framework adopted by the World Health Assembly in 2012.Vaccine Action Plan)A WHO tramework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Deaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)Missing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
HC.HTOTICHA Code HC.6The ICHA code representing preventative care expenditure.HC.6ICHA Code ICHA CodeThe ICHA code representing immunisation programmes.ICA. Code ICHA CodeThe ICHA code representing immunisation programmes.HC.6.2WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.Immunisation)A WHO vaccine framework adopted by the World Health Assembly in 2012.Vaccine Action Plan)A WHO vaccine framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Deaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.	· · · ·	
ICHA Code HC.6The ICHA code representing preventative care expenditure.ICHA Code HC.6.2The ICHA code representing immunisation programmes.HC.6.2The ICHA code representing immunisation programmes.EPI (Expanded Programme on access to all important vaccines for all children.WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.GVAP (Global Vaccine Action Plan)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation Agenda 2030)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable MortalityDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)Missing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		The ICHA code representing total healthcare expenditure.
HC.6ICHA Code HC.6.2The ICHA code representing immunisation programmes.Programme on Immunisation)WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.GVAP (Global Vaccine Action Plan)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation Agenda 2030)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable Approach to ImmunisationDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
ICHA Code HC.6.2The ICHA code representing immunisation programmes.ICHA Code HC.6.2The ICHA code representing immunisation programmes.EPI (Expanded Programme on Immunisation)WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.Immunisation)A WHO vaccine framework adopted by the World Health Assembly in 2012.Vaccine Action Plan)This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable MortalityDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		The ICHA code representing preventative care expenditure.
HC.6.2EPI (Expanded Programme on Immunisation)WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.GVAP (Global Vaccine Action Plan)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable MortalityDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
EPI (Expanded Programme on Immunisation)WHO's first major vaccination initiative launched in 1974 to provide universal access to all important vaccines for all children.GVAP (Global Vaccine Action Plan)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation Agenda 2030)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable MortalityDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		The ICHA code representing immunisation programmes.
Programme on Immunisation)access to all important vaccines for all children.GVAP (Global Vaccine Action Plan)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation Agenda 2030)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable MorvalityDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National Immunisation Programme)Country-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismMissing work due to illness.PresenteeismReluctance or refusal of vaccination despite availability.		
Immunisation)GVAP (Global Vaccine ActionA WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.Plan)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable MortalityDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National Immunisation Programme)Country-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
GVAP (Global Vaccine Action Plan)A WHO vaccine framework adopted by the World Health Assembly in 2012. This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation Agenda 2030)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable MortalityDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		access to all important vaccines for all children.
Vaccine Action Plan)This ran until 2020 and was replaced by IA2030.IA2030 (Immunisation Agenda 2030)A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- Preventable MortalityDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
Plan)IA2030A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- PreventableDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course A vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
IA2030A WHO framework with a focus on a life course approach to immunisation, and specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- PreventableDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		i nis ran until 2020 and was replaced by IA2030.
(Immunisation Agenda 2030)specific vaccination coverage targets, including 90% coverage for DTP3 (child), MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- PreventableDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course A vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.PresenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		A W/LIO framework with a facult on a life course annuals to improve institute and
Agenda 2030)MCV2 (child), HPV (adolescent) and PCV3 (adult) vaccines.Vaccine- PreventableDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)AbsenteeismAbsenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
Vaccine- PreventableDeaths from diseases that could have been prevented through vaccination. For data presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course A vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)Missing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.	N	
Preventable Mortalitydata presented in the results of this report, these include influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course A vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age. ImmunisationNIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)AbsenteeismAbsenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
Mortalitytuberculosis, tetanus, diphtheria, measles, cervical cancer, and whooping cough.Life-Course A vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)Missing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
cough.Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)Missing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
Life-Course Approach to ImmunisationA vaccination strategy that addresses the health needs of individuals at all stages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)Missing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.	Wortanty	
Approach to Immunisationstages of life, from childhood through adolescence to adulthood and older age.NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)AbsenteeismAbsenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.	Life-Course	
ImmunisationNIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)Missing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
NIP (National ImmunisationCountry-specific schedules of recommended or required vaccines provided through public health services.Programme)AbsenteeismAbsenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		stages of me, normalined through adoleschoe to additiood and older age.
Immunisation Programme)through public health services.AbsenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		Country-specific schedules of recommended or required vaccines provided
Programme)       Missing work due to illness.         Absenteeism       Missing work due to illness.         Presenteeism       Working while unwell, resulting in reduced productivity.         Vaccine       Reluctance or refusal of vaccination despite availability.		
AbsenteeismMissing work due to illness.PresenteeismWorking while unwell, resulting in reduced productivity.VaccineReluctance or refusal of vaccination despite availability.		
Vaccine Reluctance or refusal of vaccination despite availability.		Missing work due to illness.
	Presenteeism	Working while unwell, resulting in reduced productivity.
	Vaccine	Reluctance or refusal of vaccination despite availability.
nontanoy	hesitancy	1

viii



# 1 Introduction

#### 1.1 Background

Immunisation programmes are a cornerstone of public health initiatives. They offer an effective and efficient strategy to prevent the spread of infectious diseases and reduce morbidity and mortality. The most recent example is the implementation of cost-effective and often cost-saving COVID-19 vaccination programmes (Utami et al., 2023), which facilitated the easing of stay-at-home measures, enabling economic recovery and the reintroduction of social and workplace activities. Evidence shows that, in general, prevention is 3-4 times more cost effective than treatment, and immunisation programmes can return up to 19 times their cost in societal value (Hampson et al., 2023; El-Banhawi et al., 2023). However, despite their established public health value, immunisation funding is suboptimal and under disproportionate pressure.

Allocation of funds to prevention activities, including immunisation programmes, is a small fraction of overall health spending. Immunisation programmes are structured public health initiatives designed to systematically deliver vaccines to susceptible populations, protecting individuals and communities from vaccine-preventable diseases. While immunisation is a key component of disease prevention, spending in this area also includes measures such as health education and early disease detection (e.g. screening) (OECD, Eurostat and World Health Organization, 2017). In OECD countries, on average less than 3% of health spending is allocated to prevention, and in that only 9% of that goes to immunisation (Gmeinder, Morgan and Mueller, 2017). Historical data shows that prevention budgets, especially those dedicated to immunisation are more at risk of funding cuts following economic shocks than other parts of the health budget. They grow at relatively slower rates and face increasing competition both within and outside of the health care sector (Ethgen, Baron-Papillon and Cornier, 2016; Faivre et al., 2021).

Sustainable immunisation funding is essential for continuous immunisation-related activities to achieve and maintain high coverage rates, as only then will the public health impacts be realised. These impacts extend beyond preventing short-term disease outbreaks to reducing the burden of vaccine preventable cancers and chronic disease in adults (WHO, 2022; Sáfadi, 2022; NHS England, 2023).

Current funding levels may prevent important vaccination coverage targets from being met. The WHO has set vaccination targets since 1974 with the launch of the Expanded Programme on Immunisation (EPI). Over time new WHO frameworks have been implemented such as the Global Vaccine Action Plan (GVAP) and most recently the Immunisation Agenda 2030 (IA2030) (Shattock et al., 2024). Limited progress has been made towards the coverage targets set out in these initiatives.

Only 11 countries reached the GVAP targets of 90% coverage in routine childhood immunisations in 2019 (Galles et al., 2021). In 2020 GVAP was replaced by the IA2030 which focusses on a life-course approach to immunisation, including targets relevant for adult immunisation programmes. A 90% coverage target was set for DTP3 (3rd dose of diptheria, tetanus and pertussis vaccine), MCV2 (Second dose of the Measles-Containing Vaccine) , HPV (Human papillomavirus vaccine) and PCV3 (3rd dose of pneumococcal containing vaccine) (WHO, 2021) but in 2023, the global average coverage across these indicators was 73% (Momentum, IACG and USAID, 2024). Country specific data is available for the WHO European region and shows no country here met the region-specific coverage target set for MCV2 (95%), HPV (90%) and adult flu (75%) (WHO Regional Office for Europe, 2024). Despite the inclusion of adult vaccination programmes in IA2030, these are often deprioritized by the WHO and national health care systems compared to childhood immunisation efforts. Strategies for adult vaccination programmes suffer from disinterest, poor prioritisation and a lack of infrastructure (Doherty et al., 2024). One-third of WHO member states did not have a seasonal influenza vaccination policy as of December 2022 (Goldin et al., 2024).





Recognising these challenges, evidence-based policymaking depends on understanding changing immunisation spending patterns and their impact on health care delivery and health outcomes. This report presents a quantitative analysis of immunisation expenditure and outcomes across multiple countries. The findings offer policymakers actionable insights to enhance current vaccine delivery systems while ensuring capacity for future innovations. In addition, the report highlights key levers to strengthen immunisation delivery and support the development of resilient, sustainable programmes.

#### 1.2 Outline

We conducted a comparative analysis of immunisation expenditure and related health indicators across ten countries: Australia, Brazil, Canada, France, Germany, Italy, Japan, Mexico, South Korea and the United Kingdom. These countries were selected to provide a diverse representation of high and upper-middle income economies with varying healthcare systems, geographical distribution, and population sizes, whilst ensuring sufficient data availability for meaningful comparative analysis. Data were collected and analysed for the period 2016-2023, subject to data availability. Data was also initially collected for Spain but was not reliably reported and therefore excluded from the report.

The main objectives were:

- 1. To describe the relationship between immunisation spending and national economic indicators over time.
- 2. To examine the associations between prevention and immunisation spending and health outcomes, specifically vaccine-preventable mortality rates.
- 3. To analyse how spending on immunisation compares with the number of programmes delivered and their coverage.

In **Section 1**, we describe trends in immunisation spending, national economic indicators, and health outcomes across the selected countries, identifying key correlations and patterns in the data.

**Section 2** examines insights from specific country contexts, referencing detailed scorecards provided in Appendix A.

Finally, **Section 3** summarises the key findings; outlines the key features of effective immunisation programmes regardless of national context; and provides actionable opportunities for improvement to immunisation delivery and vaccine-preventable outcomes globally.



# 2 Data

This section outlines the data sources for the analyses, including definitions and notes on data collection.

#### Expenditure

Expenditure data was sourced primarily from OECD statistics, with national sources used when OECD data was unavailable (Table 1).

#### TABLE 1: EXPENDITURE DATA SOURCE LIST

Indicator	Country	Source
Health expenditure	All countries	(OECD, 2024)
Prevention expenditure	All countries	(OECD, 2024)
Immunisation expenditure	Brazil, Germany, France	(OECD, 2024)
	Korea, Mexico, UK	
Immunisation expenditure	Japan	(Ministry of Health, Labour and
		Welfare, 2022)
Immunisation expenditure	Australia	(WHO, 2014)
COVID-19 vaccination expenditure	Italy	(OsMed, 2024)
COVID-19 vaccination expenditure	Canada	(IQVIA, 2023)

All sources reported expenditure using the International Classification of Health Accounts (ICHA) codes. The ICHA is an internationally recognised system for health care expenditure categorisation designed by the OECD. We used the following codes listed in Table 2 to represent different levels of expenditure. The full ICHA framework can be found in Appendix B.


#### **TABLE 2: INTERNATION CLASSIFICATION OF HEALTH ACCOUNTS**

Indicator	ICHA Code
Total health care expenditure	HTOT: Total health care
Prevention expenditure	HC.6: Preventive care
Immunisation expenditure	HC6.2: Immunisation programmes

Notes: HC.6.2 immunisation programmes refers to the purchase of the vaccine itself and the cost of administration. It does not include emergency vaccine funding such as that for the COVID-19 vaccine (until it was integrated into the national immunisation programme). Where expenditure on COVID-19 vaccination was reported separately, it was added to the immunisation expenditure figures from HC6.2.

Figure 1 outlines the data availability for immunisation expenditure across all countries in our analysis. The time period 2016 – 2019 (highlighted in green) represents the largest period common to all countries in the dataset. Six countries had immunisation expenditure data up to 2022, and South Korea was the only country with data collected up to 2023 (highlighted in orange). Expenditure data beyond the emergency phase of COVID-19 are still emerging, so were not available for all countries. We included them in country specific analyses where available.





#### FIGURE 1: IMMUNISATION EXPENDITURE DATA AVAILABILITY

Mortality rates

All-cause mortality and vaccine-preventable mortality rates were sourced from WHO statistics (WHO, 2024b).

Vaccine-preventable deaths were estimated for a set of vaccine preventable illnesses based on the International Classification of Diseases (ICD-10) codes. The diseases included influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer and whooping cough.

Estimates of vaccine-preventable morbidity as published by the IHME were not available for use due to legal data restrictions over commercial use of the data.

#### Vaccination coverage

Vaccination coverage was obtained from WHO statistics (WHO, 2024a) and included measles vaccine second dose (MCV2) in children, adolescent HPV and adult influenza. These vaccines were used as indicators of a life-course approach by the WHO European region, based on the global IA2030, to evaluate the strength of immunisation programmes across different age groups (WHO Regional Office for Europe, 2024). Additionally, among adult and adolescent programmes, coverage data was the most comprehensively reported for HPV and influenza respectively, which was an important factor when choosing European indicators over the global indicators (see Appendix C).

#### Vaccination schedules

The most recent published vaccination schedule was found for each country from reputable sources such as their Ministry of Health or partnership entities delivering the national immunisation



programme including the Brazilian Immunisation Society and Japanese Paediatric Society. Country specific sources are listed in Table 3.

#### TABLE 3: IMMUNISATION SCHEDULE SOURCE LIST

Country	Source
Australia	(Department of Health and Aged Care, 2024)
Brazil	(SBIM, 2024)
Canada	(Public Health Agency of Canada, 2007)
France	(Ministère de la santé et de l'accès aux soins, 2024)
Germany	(STIKO, 2025)
Italy	(EpiCentro, 2023)
Japan	(NIID, 2023)
Mexico	(Ministry of Health, 2024)
South Korea	(Immunisation Control Division, 2024)
UK	(UKHSA, 2025)

Additional recommendations from national vaccine advisory bodies that have yet to be implemented via the national schedules were excluded from our analysis. Voluntary, catch-up and travel vaccines were also excluded. In Appendix B, we highlighted country rankings in terms of the number of programmes delivered.

#### Currency conversions

All expenditure data was adjusted for inflation in the local currency and converted to US\$ (2023) using the official exchange rate. Expenditure data is presented as an interpretable measure of a country's expenditure.

As a robustness check, we repeated the analyses of the correlations in Section 3.3 using Purchasing Power Parity (PPP) adjusted expenditure, reported in international dollars (Int\$, 2023). PPP accounts for different price levels across countries, so better represents the real health care resources of a government, but is less intuitive to interpret than US \$.



# 3 Cross-country trends and relationships

#### 3.1 Section aims and methods

This section provides an overview of the immunisation funding landscape in the selected countries, highlighting how spending has evolved over time and varies between nations.

We analysed trends primarily in immunisation expenditure, and additionally prevention expenditure, both per capita and as a percentage of GDP. We explored associations with economic and health outcomes such as GDP, overall mortality, and vaccine-preventable mortality. This report presents descriptive results graphically. Strength of relationships were evaluated by the Pearson correlation coefficient and regression analysis.

The section includes (1) a breakdown of expenditure trends over time, and (2) a comparison of key indicators between countries.


#### 3.2 Breakdown of expenditure trends over time

### 3.2.1 What were the trends in immunisation expenditure in the years prior to the emergency phase of COVID-19 (2016-2019)?

Figure 2 shows observed trends in immunisation expenditure in the four years prior to the emergency phase of COVID-19. Average immunisation spending ranged from \$2.3 to \$27.3 per capita. Expenditure per capita was trending upwards in Canada, Germany, France, Italy and Korea. In Australia and Japan, immunisation expenditure was trending downwards.

Brazil, the UK and Mexico exhibited negligible changes in investment decisions in the years prior to COVID-19 (<1.5% annual change relative to average expenditure).





#### FIGURE 2: IMMUNISATION EXPENDITURE PER CAPITA (US\$) 2016-2019

Notes: The value highlighted in green boxes on the figure indicates average expenditure 2016-2019. The annual average change in expenditure takes each year-on-year change and averages across all changes. The annual % change relative to average expresses this average change relative to the overall average spending amount.

Source: Authors' analysis from references in Table 1

### 3.2.2 How did different countries respond in immunisation expenditure with the onset of COVID-19 (2020-2023)?

As expected, increases in immunisation spending were seen in many countries during the COVID-19 emergency phase, from 2020 onwards (Figure 3) - albeit with markedly different changes. By far the largest increase in 2020-2023 compared to the pre-COVID-19 period (2016-2019) was seen in Canada (1824% increase). The UK (346%), South Korea (326%), Germany (322%) and Italy (314%) showed similarly large increases in spending in response to the pandemic. A moderate increase in per capita spending on immunisation was seen in Mexico (115%), Australia (90.0%) and Japan (2.8%).

With the exception of Germany and Mexico, there was a year-on-year decline in expenditure per capita observed from 2021 onwards. The data are yet to show how this trend will develop.



#### FIGURE 3: IMMUNISATION EXPENDITURE PER CAPITA (US\$) 2016-2023



Notes: n.d.= no data. All expenditure figures are adjusted to 2022 prices in the local currency and converted to US\$ using the official exchange rate. The value highlighted in the green box for each country is average expenditure 2016-2019. The value in the pink box is average expenditure 2020-2023.

Source: Authors' analysis from references in Table 1

### 3.2.3 What does expressing expenditure as a % of GDP tell us about the relative priority of immunisation services?

Analysing immunisation expenditure as a % of the country's total wealth (Figure 4) revealed two main findings. First, the relative level of spending is very low for all countries. No country spent more than 0.4% of GDP on immunisation in any year across the period, and average spending for all countries was 0.08% of GDP. By comparison, the average spending on Defence in the EU in 2022 was 16 times higher (1.3% of GDP) (Eurostat, 2025). In 2019, the WHO encouraged that countries must spend at least 1% more of GDP on primary health care to address glaring coverage gaps (Lindmeier, 2019).

Second, the relative priorities are inflated for certain countries when expressed relative to their GDP, due to lower GDP levels. Though lower in absolute expenditure levels per capita, Brazil and South Korea spent among the highest between 2016-2019 as a percentage of GDP.



#### FIGURE 4: IMMUNISATION EXPENDITURE PER CAPITA AS A % OF GDP 2016-2023




Notes: n.d. = no data. All expenditure figures are adjusted to 2022 prices in the local currency and converted to US\$ using the official exchange rate. The value highlighted in the green box for each country is average expenditure 2016-2019. The value in the pink box is average expenditure 2020-2023

Source: Authors' analysis from references in Table 1

#### 3.2.4 How has the breakdown in prevention spending changed?

Figure 5 illustrates that, during the pandemic, both the size of the overall share of GDP on health and the allocation of prevention within that increased. The share of GDP on expenditure on health and prevention increased from 10% to 11.5% and 0.3% to 0.7%, respectively.

#### FIGURE 5: HEALTH AND PREVENTION EXPENDITURE AS A SHARE OF GDP




Notes: The chart depicts the percentage of GDP expenditure on health and prevention on average across all countries, the blue represents health (including prevention) and the orange prevention. The grey represents all other spending. Source: Authors' analysis from references in Table 1



During the pandemic, the programmes for immunisation and epidemiological surveillance received a greater share of budget allocations to prevention programmes (Figure 6). The increased combined share of budgets (22%) was offset by a decrease in healthy condition monitoring programmes. Disease detection programmes maintained a 20% share of prevention budgets.

FIGURE 6: SHARE OF PREVENTION EXPENDITURE BY PROGRAMME TYPE




Notes: n.e.c=Not Elsewhere Classified. Source: Authors' analysis from references in Table 1

### 3.2.5 As countries adjust their immunisation budgets post-COVID-19, what will be the "new normal?"

Average expenditure on immunisation relative to GDP increased during the emergency phase of COVID-19 (2020 and 2021), followed by a subsequent decrease in 2022 (Figure 7). It is as yet unknown what level it will reach. Most countries have an age and risk-based programme for COVID-19 vaccinations which should entail additional expenditure, however, coverage may be linked to affordability or may impact on other programmes.





#### FIGURE 7: AVERAGE IMMUNISATION EXPENDITURE AS A % OF GDP ACROSS ALL COUNTRIES

Source: Authors' analysis from references in Table 1

### 3.3 Comparison of key indicators between countries

In this section we compare immunisation and prevention expenditure to key indicators across countries. Data sources are outlined in Section 2.

#### 3.3.1 Do wealthier countries spend more on prevention and immunisation?

Figure 8 shows that before the COVID-19 pandemic, wealthier countries (measured by GDP) tended to spend more on prevention per person. This is quantified by a Pearson correlation coefficient of 0.73, which suggests a fairly strong positive relationship between a country's wealth and its spending on prevention. For context, Pearson correlations can range from -1 to 1, where 1 means a perfect positive relationship, -1 means a perfect negative relationship, and 0 means no relationship at all.

#### FIGURE 8: PREVENTION EXPENDITURE COMPARED TO GDP (2019)







Figure 9 shows that wealthier countries also spent more on immunisation per capita, though this relationship is weaker than for prevention expenditure (Pearson correlation coefficient 0.56).

Canada and Japan tended to spend relatively more on prevention than immunisation. Conversely, Germany, Australia and Brazil spent relatively more on immunisation.

This positive association suggests a correlation between national wealth, health care investment, and prioritisation of preventative measures.



#### FIGURE 9: IMMUNISATION EXPENDITURE COMPARED TO GDP (2019)

A robustness check using expenditure adjusted for PPP shows a positive, but slightly weaker correlation between immunisation and prevention expenditure and GDP in 2019, compared to Figures 8 and 9 (Appendix D).

### 3.3.2 Do countries that spend more on prevention and immunisation have lower mortality?

Figure 10 shows that countries which spent more on prevention services typically reported lower mortality rates from diseases such as influenza, respiratory tuberculosis, tetanus, diphtheria, measles, cervical cancer and whooping cough (Pearson correlation coefficient -0.43).



### FIGURE 10: PREVENTION EXPENDITURE COMPARED TO VACCINE-PREVENTABLE DEATHS (2019)





Figure 11 shows that countries which spent more on immunisation services reported a lower vaccine-preventable mortality rate. This relationship is weaker (Pearson correlation coefficient -0.26) and the robustness check shows similar strength of correlations between prevention or immunisation expenditure adjusted for PPP and vaccine-preventable deaths in 2019 (Appendix D). We tested this relationship further using a regression analysis.

FIGURE 11: IMMUNISATION EXPENDITURE COMPARED TO VACCINE-PREVENTABLE DEATHS (2019)



We estimated how many fewer vaccine-preventable deaths were associated with an additional dollar of immunisation expenditure. We did so by taking into account other important factors such as GDP and the size of the population, as well as the trend in immunisation spending over time.

Using data between 2017 and 2019, we found that an increase in annual expenditure of \$100 per capita across countries is associated with three fewer vaccine-preventable deaths per 100,000 of the



population (Table 4). This is a meaningful effect size, given that the average number of deaths in the period across all countries was 2.8 vaccine-preventable deaths per 100,000 of the population annually.

#### **TABLE 4: REGRESSION ANALYSIS OF THE ASSOCIATION BETWEEN IMMUNISATION EXPENDITURE AND VACCINE-PREVENTABLE DEATHS (2017-2019)**

	Vaccine-preventable deaths per 100,000 of the population
Immunisation expenditure per capita (USD)	-0.0369* (0.0141)
GDP per capita (USD)	0.0000296 (0.0000223)
Total population	0.000000116 (0.0000000628)
Time trend	-0.0176 (0.0657)
Constant	36.93 (132.7)
N (number of countries x number of years)	30

Notes: Pooled Ordinary Least Squares (OLS) regression analysis. Robust standard errors included in parentheses below coefficients. \* p<0.05, \*\* p<0.01, \*\*\* p<0.001

The robustness check using expenditure adjusted for PPP supports the results in Table 4 in terms of the strength, direction, and statistical significance of the effect size (Appendix D).

#### 3.3.3 Do countries that spend more on immunisation provide more vaccination programmes on the national schedule?


Figure 12 shows no clear relationship between the number of vaccine programmes delivered and the amount spent on immunisation (Pearson correlation coefficient of -0.04).

Australia delivers the same number of immunisation programmes as Mexico but spends 10 times more per capita on immunisation. Brazil and Korea have very similar expenditure levels. Brazil delivers the highest number of programmes (39) while Korea delivers among the fewest (19).

This indicates that countries that spend more on immunisation do not necessarily just provide more vaccination programmes on the national schedule, instead they may invest in implementation and quality of programmes. These expenditure figures may also reflect higher cost of vaccinations in some countries.



### FIGURE 12: NUMBER OF IMMUNISATION PROGRAMMES PROVIDED IN THE NIP COMPARED TO IMMUNISATION EXPENDITURE (2019)



Notes: The sum of child and adult vaccination programmes reported on each country's national immunisation schedule 2024 (2023 for Mexico), excluding voluntary, catch-up and travel vaccines is compared to immunisation expenditure in 2019.

#### 3.3.4 Which immunisation programmes are delivered on the national schedule?

Adult immunisation delivery varies significantly between countries (Figure 13). Most programmes are risk-based and programmes against respiratory viruses are often age- and risk-based. Detailed schedules are available in the country score cards in Appendix A.



#### FIGURE 13: ADULT PROGRAMMES DELIVERED

		$\bigcirc$	(+)				•	<b>()</b>	
Influenza					-				
Pneumococcal				R.					
Pertussis		se la companya de la	R.				***	10	
Herpes zoster	<b>A</b>			<b>W</b>					
Covid-19									
Diptheria		*	<b>A</b>	<b>A</b>		æ)			
Tetanus		×	<b>A</b>		æ				
Hepatitis A		×				*			
Measles		*	<b>A</b>		*	*			
Polio									
Varicella									
Hepatitis B									
HPV		凝				æ			
Meningococcal		Sec.		æ)					
Mumps		×	\$						
RSV		a de la companya de l							
Rubella		*	÷.						
HIB		凝							
Typhoid			a contraction of the second se						
Rabies			a de la companya de l						
BCG		×							

Age-based recommendation
 Risk-based recommendation

Age and risk-based recommendations

The types of child immunisations that are delivered on the national schedule are largely comparable across countries (Figure 14). Most child programmes are, unsurprisingly, age-based, while only some are risk-based. Detailed schedules are available in the country scorecards appendix.



#### FIGURE 14: CHILD PROGRAMMES DELIVERED

		$\bigcirc$	(+)				٠		# <b>●</b> #	
Diptheria		*		æ)	*	*		*	Ŵ	
Tetanus	\$	*	*		R.		æ)	<b>a</b>		
Pertussis	\$			R						
Rotavirus	*									
Measles	*	*	R			<b>a</b>	*			*
Rubella	*	*	R.	*	æ)		æ	*	æ	
HPV				R						
Hepatitis B	*	<b>A</b>		*						<b>a</b>
HIB	*	*	æ	æ)		æ)			R.	<b>*</b>
Polio	*	*	*	*				*		<b>a</b>
Pneumococcal	*	*	*	*		*		*	*	*
Influenza	se la constancia de la	æ)		R		æ)		*	R	
Meningococcal	*	*		*		*		*		*
Mumps										
Varicella			*							
Hepatitis A	*	*	*	*		*			æ)	*
BCG		<b>a</b>					*			*
Covid-19			\$							
RSV			*							
Japanese encephalitis							æ			
Yellow fever										
Dengue fever										

Age-based recommendation
 Risk-based recommendation
 Age and risk-based recommendations



# 4 Learnings from individual countries

#### 4.1 Country score cards

Country scorecards were developed, describing the following five data elements:

- 1. **Immunisation spending as a % of GDP over time:** this indicates a country's prioritisation of immunisation spending compared to all other uses of public budgets and allows comparison with other countries.
- 2. **Immunisation and prevention spending compared to the overall health budget**: detailed spending trends over time, compared to overall health care expenditure, which allows us to compare the role of treatment vs prevention across countries.
- 3. Vaccine-preventable mortality rates over time: analysis of immunisation-related health outcomes combined with coverage data where possible, with influenza is highlighted as an example.
- 4. **Programmes delivered as part of the national schedule:** examining what programmes are being delivered with immunisation budgets.
- 5. Coverage rates for key programmes: indicating the success of immunisation delivery across three key programmes (child measles, adolescent female HPV, and adult influenza). These three programmes were chosen as data were well reported, especially female HPV and influenza, in comparison with other adolescent and adult vaccination programmes (See Appendix C). Additionally, these three programmes have been used by the WHO to monitor progress of the life-course approach to vaccination (WHO Regional Office for Europe, 2024).

The below section summarises the main successes, opportunities and challenges across countries based on those scorecards. The complete country scorecards are included in Appendix A.

# 4.2 Key successes, opportunities and challenges for adult immunisation programmes

Table 5 describes the main successes and challenges identified across the five indicators described in the country score cards.

The success of immunisation programmes across countries in this report is primarily examined through three example programmes, for which coverage rates are presented in the country score cards. However, other vaccination programmes require attention. Appendix C highlights the published data available on coverage rates by adult, adolescent and child vaccination programmes in the countries included in this study.

For adult and adolescent programmes, Influenza and HPV are revealed as the most comprehensively reported vaccination programmes. Data is much more sparse for other key programmes such as COVID-19, shingles (herpes zoster) and pneumococcal for adults, and meningococcal for adolescents. It is important for Governments to track and report coverage rates for a broader range of immunisation programmes to effectively monitor progress.





The UK has high coverage rates for influenza and HPV vaccinations, providing strong examples of successful programme implementation and effective outreach efforts. The UK is recognised as a high-performing country in influenza vaccination, employing multiple strategies across five key pillars to achieve success: Health authority accountability; facilitated access to vaccination; HCP accountability and engagement; awareness of influenza burden and severity of disease; and belief in influenza vaccination benefits (Kassianos et al., 2021).

Canada and Brazil are notable for having some of the most comprehensive immunisation programmes globally, although they do not consistently achieve the highest coverage rates for key vaccine programmes. These two countries highlight challenges faced by both high- and middle-income countries.

Brazil's National Immunisation Programme was groundbreaking in its successful implementation in 1973. But since then, it has faced budget constraints alongside rising vaccine import costs which have contributed to decreasing coverage rates since 2015 (Minakawa and Frazão, 2023). Canada is a high-income country with a more stable funding environment, however, provincial variation poses significant challenges in maintaining consistent coverage rates (Harmon et al., 2020). Legislation varies across all provinces, with different mandates, exemption clauses and policies regarding school enrolment requirements (Public Health Agency of Canada, 2024).

Germany and Brazil stand out for consistently allocating the highest percentage of GDP to immunisation spending relative to other countries; however, their overall spending levels remain low. This reflects a commitment to public health and prevention efforts but highlights the constraints to absolute spending faced by countries at different income levels.

Italy's healthcare system is unique as it exhibits relatively low levels of spending on immunisation while also achieving low vaccine preventable mortality rates, suggesting efficient spending to maximise implementation. This trend is found within Italy's healthcare system more broadly, as studies show that despite lower healthcare spending compared to countries like Canada, Italy achieves better health outcomes, suggesting better value for money (Matteo and Barbiero, 2020). However, the system faces challenges due to fragmentation following constitutional reforms, leading to regional inequalities and complexities in immunisation implementation (Bechini et al., 2024; D'Ancona et al., 2018).

### TABLE 5: SUMMARY OF KEY SUCCESSES, CHALLENGES AND OPPORTUNITIES IDENTIFIED IN THE COUNTRY SCORE CARDS

	Successes	Challenges	Opportunities
Australia	Australia is one of the highest ranking countries for immunisation expenditure in terms of per capita spending and percentage of GDP. Childhood vaccination rates for measles consistently exceeds the WHO target of 90%.	Adult vaccinations programmes are limited, and vaccination rates are low for adolescent HPV and adult influenza. Vaccine preventable mortality rates are relatively high given the level of spending, of these, deaths related to influenza contribute significantly.	Expand adult vaccination programmes and increase coverage. Focus on influenza which currently contributes significantly to vaccine preventable mortality rates. Invest in existing programmes to ensure reaching the WHO coverage targets e.g. HPV.





Brazil	Brazil has the lowest GDP per capita of all countries in the sample and spends the greatest portion of GDP on immunisation. Brazil also has the most comprehensive national immunisation programme measured by the number of programmes provided.	Despite high number of programmes, vaccination rates for childhood measles and HPV remain below WHO targets, and there is no data available for adult influenza vaccination rates. Vaccine preventable mortality rates in Brazil are the second highest of all countries studied.	Invest in improvements to the delivery and effectiveness of immunisation programmes to increase vaccination rates and reduce vaccine preventable mortality. Improve data collection and reporting systems for key vaccine-preventable illnesses (e.g. influenza).
Canada	Compared to its GDP, Canada has one of the lowest spending on immunisation programmes, while delivering one of the most comprehensive national immunisation programmes. High coverage for	No reported vaccination rates for adult influenza. Low percentage of GDP invested in immunisation.	Maintain efficient implementation of vaccine programmes. Prioritise immunisation in national health spending and increase the percentage of GDP spent on it to increase outcomes.
	adolescent HPV (84%) and child measles (84%)		Improve influenza coverage data reporting.
France	France reports average spending on immunisation and low vaccine preventable mortality rates. Very strong childhood immunisation programme provision, ranked 2nd out of all the countries analysed in terms of the number of programmes delivered.	Below-average vaccination rates for childhood measles, adolescent HPV and adult influenza. Deaths related to influenza make up a large proportion of France's vaccine preventable mortality rate	Increase coverage in existing programmes for both adolescent and adult programmes. Increase adult influenza uptake rates, as this could lower vaccine-preventable mortality significantly.
Germany	Germany has one of the highest proportions of GDP expenditure on immunisation. Child vaccination rates are high.	Adult immunisation programmes are relatively limited compared to other countries because there are fewer vaccine mandates in Germany to encourage personal choice towards immunisation (Robert Koch Institute, 2024). Vaccination rates are low for adult influenza which may contribute significantly to Germany's vaccine preventable mortality rate.	Increase education and awareness to encourage vaccine uptake while maintaining personal choice regarding vaccination. This is especially of relevance where German uptake rates lack behind international best practice (e.g. influenza). Explore learnings on programme delivery from top-performing countries for HPV (e.g. UK).



	Despite relatively low levels of expenditure on immunisation, Italy has a more extensive adult vaccination schedule compared with other European countries. It also has the lowest rate of vaccine preventable mortality.	Coverage for adolescent HPV (43%), adult influenza (55%) and child measles (86%) are relatively low compared to other countries. Vaccine preventable mortality rates are relatively low, but influenza is a significant contributor.	Increase coverage across child and adult programmes. Invest in adult programmes (e.g. influenza), as increasing coverage could have a significant impact on vaccine-preventable mortality rates. Learn from the successes of UK HPV implementation.
Japan	Childhood measles vaccination rates consistently exceed the WHO target of 90%.	Japan has the lowest proportion of GDP invested in immunisation, the least comprehensive vaccination programmes and the highest vaccine preventable mortality rate among the countries studied. Low HPV coverage (13%) and moderate adult influenza coverage (53%).	Increase investment to expand child immunisations first. Review voluntary and privately provided vaccines and move to a larger proportion of mandatory vaccines.
Mexico	Mexico has the highest vaccination rates for adult influenza in this analysis, though these trends are highly variable.	Lowest per capita spending on immunisation and below average number of immunisation programmes for both children and adults. Above average vaccine preventable mortality rates despite below average spending.	Concentrate initial focus of immunisation investment in child immunisation programmes. Stabilise implementation and consistency in coverage rate reporting.
South Korea	South Koreas immunisation programme delivery is balanced and spending on vaccination and related preventable mortality is moderate. It has strong provision of childhood vaccines and the highest vaccination rate for childhood measles.	Adult vaccination programmes are very limited with recommendations for PCV and influenza only. Coverage data is not reported for adult influenza immunisations.	Prepare to transition to greater provision of adult vaccination programmes to support an increasing ageing population. Implement a greater number of the recommendations by the Korean Society of Infectious Diseases into the NIP.

21



UK	Efficient implementation	Less comprehensive	Build up the evidence base
	of adult vaccination	vaccination programmes	for the value and cost
	programmes with strong	compared to other	effectiveness of adult
	coverage rates for	countries, more evident in	immunisation
	adolescent HPV (73%) and	the adult programmes	programmes to increase
	adult influenza (75%),	compared to children,	number of provided adult
	despite moderate level of	even though the aging	programmes.
	immunisation expenditure.	population in the UK puts	
		an increasing burden on	Make existing
		the health service.	programmes more robust
			to regain high coverage
		Declining vaccination rates	rates.
		for child measles observed	
		(85% in 2016, 56% in	
		2023).	



# 5 Discussion

#### 5.1 Summary of findings

#### Low levels of immunisation expenditure

This report shows that immunisation spending is low in all countries when compared to both overall GDP and total health care spending. This suggests that immunisation is given relatively low priority, not only within wider government budgets, but also within health budgets specifically.

Mean spending for all countries between 2016 and 2023 was 0.08% of GDP. By comparison, the average spending on defence in the EU in 2022 was 16 times higher, at 1.3% of GDP (Eurostat, 2025).

When compared to the overall health care budget, immunisation expenditure is also consistently low, despite the additional investment as a response to the COVID-19 pandemic. Mean immunisation expenditure was 0.3% and 0.7% of overall health care expenditure during the period 2016-2019 and 2020-22, respectively. This is in line with evidence from European countries showing a median allocation of 0.3% between 2015 and 2019 (Faivre et al., 2021).

#### High value of immunisation

In contrast to the low expenditure levels, immunisation programmes can deliver high value. Higher immunisation and prevention expenditure correlate with lower vaccine-preventable mortality, supporting the case for investment in immunisation. An increase in expenditure of \$100 per capita across countries is associated with three fewer vaccine-preventable deaths per 100,000 of the population. We note that mortality is a severe and narrow measure of immunisation outcomes and morbidity estimates would provide a broader picture of vaccine-preventable health impacts. However, these data were unavailable for this report.

The gap between the potential value generation and the value recognition by individual country policy makers is clear from the various analyses undertaken in this study. Influenza, for example, is an important contributor to vaccine-preventable deaths in many countries, yet the WHO target for adult influenza coverage is largely not met.

Similarly, HPV immunisation has proven to be highly effective in driving down cervical cancer rates on a population level in the UK (Public Health Scotland, 2024; Palmer et al., 2024) but many countries in our sample do not achieve adequate coverage rates.

The tragedy of the COVID-19 pandemic highlighted the value of immunisation to decision makers and the wider society. However, while immunisation spending increased significantly during this period, it remains unclear how future levels of immunisation spending will develop due to factors such as vaccination fatigue, shifting priorities, and post-pandemic fiscal challenges. Further analysis is required to determine long-term trends and to establish if the lessons learned from the pandemic translated into real policy change.

#### Data gaps

This report also highlights critical data gaps related to immunisation spending.

First, there is a lack of disaggregated expenditure data between adult and child programmes; immunisation spending is often reported as a total figure, without separating adult and child programmes. This overlooks the distinct challenges and strategies required for each. Better disaggregation would support more effective resource allocation. Additionally, total spending data





may hide changes in spending that are due to underlying developments such as the number of doses administered per vaccine (e.g. the introduction of a two-dose shingles vaccine).

Second, there is disparity in coverage reporting. Coverage data is more consistently reported for child and adolescent vaccinations compared to adult influenza immunisation. Reliable reporting is required for effective performance monitoring, especially for adult vaccination programmes where targets are frequently missed.

Third, spending on immunisation does not strongly correlate with the number of vaccination programmes included in a country's schedule. This result is expected, as expenditure includes a variety of costs such as vaccine procurement, administration services, cold chain logistics, public awareness campaigns, infrastructure support, monitoring and evaluation, programme management, and contributions to global immunisation efforts.


Finally, in some countries, discrepancies exist between the officially reported vaccine schedules and other mandates targeting specific age or risk groups, and there is variation in the breadth of recommendation.

#### 5.2 Opportunities for improvement

#### THIS REPORT HIGHLIGHTS THE LOW SHARE OF SPENDING ON IMMUNISATION ACROSS HEALTH CARE BUDGETS, IN CONTRAST WITH THE HIGH VALUE OF VACCINATION PROGRAMMES. THE KEY CALL TO ACTION IS TO INCREASE THE SHARE OF IMMUNISATION EXPENDITURE WITHIN HEALTH CARE BUDGETS.

Figure 15 summarises four key levers that policymakers should consider to address underfunding and improve the success of vaccination programmes.

### FIGURE 15: KEY LEVERS FOR IMPROVEMENTS TO THE SUCCESS OF VACCINATION PROGRAMMES





#### Prioritise Valuable Immunisation programmes

Strengthening immunisation is an important policy priority, and dedicating a higher share of the health care budget towards prevention, is essential to closing coverage gaps, reducing the economic burden of vaccine-preventable diseases, and maximising the cost-effectiveness of health care spending.

The findings support a call for considering increasing immunisation budgets, and greater government attention to immunisation programmes. The benefits would be achieved without significant burden on the healthcare system; investment in the delivery of immunisation programmes would remain a small fraction of the total healthcare budget.

#### Increase and Stabilise Funding

Reallocating funds from other healthcare areas towards prevention may not be a sustainable longterm solution for prioritising immunisation and is likely to face political challenges. Therefore, strategic approaches should be explored to increase and maintain immunisation funding.

We highlight two examples of how to i) increase and ii) sustain funding for prevention.

- **Prevention investment standard:** Strategic approaches should be explored to increase immunisation funding in absolute and relative terms. A prevention investment standard could monitor current prevention spending and commit to increasing it a faster rate than the overall healthcare budget. This has been utilised in other historically underfunded areas of the healthcare system, such as mental health services (Anandaciva, 2025).
- **Dedicated prevention funds:** Prevention budgets must also be sustained to ensure consistent and adequate financing. Establishing dedicated prevention funds can safeguard immunisation programmes from economic fluctuations and ensure consistent and adequate financing (Hampson et al., 2023).

#### **Enhance Programme Effectiveness**

Third, policymakers should review implementation and delivery strategies to ensure resources are used efficiently. The effectiveness of programme delivery plays a crucial role in success, where public resources are constrained and increasing budgets may not be feasible.

There are valuable lessons to be learned from countries with high vaccination uptake. Examples of interventions implemented in the countries included in this report include: integrating vaccination into routine health care services; adopting digital health tools, including electronic vaccination records and reminder systems; vaccine-delivery outside of standard healthcare settings; and addressing vaccine hesitancy.

- Integrating vaccination into routine appointments: Incorporating vaccines into routine health care appointments, such as those for chronic conditions or annual check-ups, ensures adults are more likely to receive their vaccines. In Germany, a targeted programme for chronic patients more than doubled vaccine uptake, especially among those with oncological-haematological diseases and HIV (Adamo et al., 2024).
- *Reminder systems*: Implementing or improving reminder systems through phone calls, texts, or emails can significantly improve vaccination rates, especially for adults with busy schedules. In Italy, a recall system using letters and phone calls improved childhood vaccination coverage from 70% to 82% (Marsico et al., 2017).

#### ohe.org



- **Digital vaccination records**: Digital vaccination records offer significant benefits for improving healthcare efficiency and tracking in Germany and other European countries. Studies have shown that digital platforms can enhance data accessibility, accuracy, and interoperability in vaccination processes (Klausen et al., 2024).
- *Improving equity and access*: Diversify and expand vaccination pathways to support expanded access to services, address unmet need and increase primary care capacity.
  - Ensuring vaccines are available in convenient locations, such as community pharmacies, and encouraging occupational health programmes may improve accessibility, particularly for adults with limited mobility or time.
  - The UK's school-based HPV vaccination programme for adolescent boys and girls has been successful in achieving high coverage rates. School delivery is associated with higher uptake, particularly when targeting younger age groups (Tiley et al., 2020).
  - Effective planning, data management, and collaboration between stakeholders are crucial for successful implementation (Paterson et al., 2021).
- Addressing vaccine hesitancy: Vaccine hesitancy poses a significant threat to disease prevention efforts. Evidence on interventions to improve hesitancy is mixed, and suggests that interventions must be tailored to the specific population (Dubé et al., 2015; MacDonald, Butler and Dubé, 2018). Strategies include community-based interventions, technology-based health literacy and healthcare worker education (Singh et al., 2022; Lo Moro et al., 2023).

#### Improve Data Collection and Reporting

Finally, there is a need for improved data collection on expenditure, coverage, and health outcomes. Data collection and reporting, target-setting and performance-monitoring can be used as tools to increase visibility and accountability (Kassianos et al., 2021).

Reported data should be disaggregated, at a minimum, by age group (adult, adolescent and child) to better identify challenges and assess the effectiveness of spending. Improved reporting of coverage data and morbidity related to vaccine-preventable illnesses will enable better performance monitoring and inform decision-making.

Policymakers should identify and prioritise key areas where coverage rates, vaccine uptake, and health outcomes are notably poor. Allocating financial resources to these high-need areas will ensure the most impactful improvements and maximise the return on investment in immunisation programmes. To do this requires accurate and regular reporting on these indicators.



# 6 References

Adamo, G., Colaiocco, G., Diedenhofen, G., Amoriello Lamberti, P., Gherardi, S.M., Trani, F., Mallamace, N.R., Isidori, C., De Angelis, G. and Fano, V., 2024. An integrated approach to enhance vaccine uptake in chronic patients – the VacciNetwork project. *European Journal of Public Health*, 34(Supplement\_3), p.ckae144.223. 10.1093/eurpub/ckae144.223.

Anandaciva, S., 2025. When It Comes To Prevention Spending In The NHS, 'Some Is Not A Number, Soon Is Not A Time'. [online] The King's Fund. Available at: https://www.kingsfund.org.uk/insight-and-analysis/blogs/some-is-not-a-number-soon-is-not-a-time [Accessed 11 Feb. 2025].

Bechini, A., Boccalini, S., Del Riccio, M., Pattyn, J., Hendrickx, G., Wyndham-Thomas, C., Gabutti, G., Maggi, S., Ricciardi, W., Rizzo, C., Costantino, C., Vezzosi, L., Guida, A., Morittu, C., Van Damme, P. and Bonanni, P., 2024. Overview of adult immunization in Italy: Successes, lessons learned and the way forward. *Human Vaccines & Immunotherapeutics*, 20(1), p.2411821. 10.1080/21645515.2024.2411821.

D'Ancona, F., Gianfredi, V., Riccardo, F. and Iannazzo, S., 2018. Immunisation Registries at regional level in Italy and the roadmap for a future Italian National Registry = Le anagrafi vaccinali regionali ed il percorso verso un sistema unico nazionale. [online] 10.7416/ai.2018.2199.

Department of Health and Aged Care, 2024. *National Immunisation Program schedule*. [text] Available at: https://www.health.gov.au/resources/publications/national-immunisation-program-schedule?language=en [Accessed 23 Jan. 2025].

Doherty, T.M., Di Pasquale, A., Finnegan, G., Lele, J. and Philip, R.K., 2024. Sustaining the momentum for adult vaccination post-COVID-19 to leverage the global uptake of life-course immunisation: A scoping review and call to action. *International Journal of Infectious Diseases*, 142, p.106963. 10.1016/j.ijid.2024.02.006.

Dubé, E., Gagnon, D., MacDonald, N.E., and SAGE Working Group on Vaccine Hesitancy, 2015. Strategies intended to address vaccine hesitancy: Review of published reviews. *Vaccine*, 33(34), pp.4191–4203. 10.1016/j.vaccine.2015.04.041.

El-Banhawi, H., Bell, E., Brassel, S., Neri, M., Chowdhury, S., Besley, S. and Steuten, L., 2023. *The Socio-Economic Value of Adult Immunisation Programmes*. [online] Available at: https://www.ohe.org/publications/the-socio-economic-value-of-adult-immunisation-programmes/.

EpiCentro, 2023. Vaccination calendar of the National Vaccination Prevention Plan 2017-2018. [online] Available at: https://www.epicentro.iss.it/vaccini/calendario [Accessed 23 Jan. 2025].

Ethgen, O., Baron-Papillon, F. and Cornier, M., 2016. How much money is spent on vaccines across Western European countries? *Human Vaccines & Immunotherapeutics*, 12(8), pp.2038–2045. 10.1080/21645515.2016.1155013.

Eurostat, 2025. *Government expenditure on defence*. [online] Available at: https://ec.europa.eu/eurostat/statisticsexplained/index.php?title=Government\_expenditure\_on\_defence [Accessed 23 Jan. 2025].

Faivre, P., Benčina, G., Campbell, R., Quilici, S., Dauby, N., Tešović, G., Bonanni, P. and Drury, R., 2021. Immunization funding across 28 European countries. *Expert Review of Vaccines*, 20(6), pp.639–647. 10.1080/14760584.2021.1905257.



Galles, N.C., Liu, P.Y., Updike, R.L., Fullman, N., Nguyen, J., Rolfe, S., Sbarra, A.N., Schipp, M.F., Marks, A., Abady, G.G., Abbas, K.M., Abbasi, S.W., Abbastabar, H., Abd-Allah, F., Abdoli, A., Abolhassani, H., Abosetugn, A.E., Adabi, M., Adamu, A.A., Adetokunboh, O.O., Adnani, Q.E.S., Advani, S.M., Afzal, S., Aghamir, S.M.K., Ahinkorah, B.O., Ahmad, S., Ahmad, T., Ahmadi, S., Ahmed, H., Ahmed, M.B., Rashid, T.A., Salih, Y.A., Akalu, Y., Aklilu, A., Akunna, C.J., Hamad, H.A., Alahdab, F., Albano, L., Alemayehu, Y., Alene, K.A., Al-Eyadhy, A., Alhassan, R.K., Ali, L., Aljunid, S.M., Almustanyir, S., Altirkawi, K.A., Alvis-Guzman, N., Amu, H., Andrei, C.L., Andrei, T., Ansar, A., Ansari-Moghaddam, A., Antonazzo, I.C., Antony, B., Arabloo, J., Arab-Zozani, M., Artanti, K.D., Arulappan, J., Awan, A.T., Awoke, M.A., Ayza, M.A., Azarian, G., Azzam, A.Y., B, D.B., Babar, Z.-U.-D., Balakrishnan, S., Banach, M., Bante, S.A., Bärnighausen, T.W., Barqawi, H.J., Barrow, A., Bassat, Q., Bayarmagnai, N., Ramirez, D.F.B., Bekuma, T.T., Belay, H.G., Belgaumi, U.I., Bhagavathula, A.S., Bhandari, D., Bhardwaj, N., Bhardwaj, P., Bhaskar, S., Bhattacharyya, K., Bibi, S., Bijani, A., Biondi, A., Boloor, A., Braithwaite, D., Buonsenso, D., Butt, Z.A., Camargos, P., Carreras, G., Carvalho, F., Castañeda-Orjuela, C.A., Chakinala, R.C., Charan, J., Chatterjee, S., Chattu, S.K., Chattu, V.K., Chowdhury, F.R., Christopher, D.J., Chu, D.-T., Chung, S.-C., Cortesi, P.A., Costa, V.M., Couto, R.A.S., Dadras, O., Dagnew, A.B., Dagnew, B., Dai, X., Dandona, L., Dandona, R., Neve, J.-W.D., Molla, M.D., Derseh, B.T., Desai, R., Desta, A.A., Dhamnetiya, D., Dhimal, M.L., Dhimal, M., Dianatinasab, M., Diaz, D., Djalalinia, S., Dorostkar, F., Edem, B., Edinur, H.A., Eftekharzadeh, S., Sayed, I.E., Zaki, M.E.S., Elhadi, M., El-Jaafary, S.I., Elsharkawy, A., Enany, S., Erkhembayar, R., Esezobor, C.I., Eskandarieh, S., Ezeonwumelu, I.J., Ezzikouri, S., Fares, J., Faris, P.S., Feleke, B.E., Ferede, T.Y., Fernandes, E., Fernandes, J.C., Ferrara, P., Filip, I., Fischer, F., Francis, M.R., Fukumoto, T., Gad, M.M., Gaidhane, S., Gallus, S., Garg, T., Geberemariyam, B.S., Gebre, T., Gebregiorgis, B.G., Gebremedhin, K.B., Gebremichael, B., Gessner, B.D., Ghadiri, K., Ghafourifard, M., Ghashghaee, A., Gilani, S.A., Glăvan, I.-R., Glushkova, E.V., Golechha, M., Gonfa, K.B., Gopalani, S.V., Goudarzi, H., Gubari, M.I.M., Guo, Y., Gupta, V.B., Gupta, V.K., Gutiérrez, R.A., Haeuser, E., Halwani, R., Hamidi, S., Hanif, A., Haque, S., Harapan, H., Hargono, A., Hashi, A., Hassan, S., Hassanein, M.H., Hassanipour, S., Hassankhani, H., Hay, S.I., Hayat, K., Hegazy, M.I., Heidari, G., Hezam, K., Holla, R., Hoque, M.E., Hosseini, M., Hosseinzadeh, M., Hostiuc, M., Househ, M., Hsieh, V.C., Huang, J., Humayun, A., Hussain, R., Hussein, N.R., Ibitoye, S.E., Ilesanmi, O.S., Ilic, I.M., Ilic, M.D., Inamdar, S., Iqbal, U., Irham, L.M., Irvani, S.S.N., Islam, S.M.S., Ismail, N.E., Itumalla, R., Jha, R.P., Joukar, F., Kabir, A., Kabir, Z., Kalhor, R., Kamal, Z., Kamande, S.M., Kandel, H., Karch, A., Kassahun, G., Kassebaum, N.J., Katoto, P.D., Kelkay, B., Kengne, A.P., Khader, Y.S., Khajuria, H., Khalil, I.A., Khan, E.A., Khan, G., Khan, J., Khan, M., Khan, M.A., Khang, Y.-H., Khoja, A.T., Khubchandani, J., Kim, G.R., Kim, M.S., Kim, Y.J., Kimokoti, R.W., Kisa, A., Kisa, S., Korshunov, V.A., Kosen, S., Defo, B.K., Kulkarni, V., Kumar, A., Kumar, G.A., Kumar, N., Kwarteng, A., Vecchia, C.L., Lami, F.H., Landires, I., Lasrado, S., Lassi, Z.S., Lee, H., Lee, Y.Y., Levi, M., Lewycka, S., Li, S., Liu, X., Lobo, S.W., Lopukhov, P.D., Lozano, R., Saute, R.L., Razek, M.M.A.E., Makki, A., Malik, A.A., Mansour-Ghanaei, F., Mansournia, M.A., Mantovani, L.G., Martins-Melo, F.R., Matthews, P.C., Medina, J.R.C., Mendoza, W., Menezes, R.G., Mengesha, E.W., Meretoja, T.J., Mersha, A.G., Mesregah, M.K., Mestrovic, T., Miazgowski, B., Milne, G.J., Mirica, A., Mirrakhimov, E.M., Mirzaei, H.R., Misra, S., Mithra, P., Moghadaszadeh, M., Mohamed, T.A., Mohammad, K.A., Mohammad, Y., Mohammadi, M., Mohammadian-Hafshejani, A., Mohammed, A., Mohammed, S., Mohapatra, A., Mokdad, A.H., Molokhia, M., Monasta, L., Moni, M.A., Montasir, A.A., Moore, C.E., Moradi, G., Moradzadeh, R., Moraga, P., Mueller, U.O., Munro, S.B., Naghavi, M., Naimzada, M.D., Naveed, M., Nayak, B.P., Negoi, I., Kandel, S.N., Nguyen, T.H., Nikbakhsh, R., Ningrum, D.N.A., Nixon, M.R., Nnaji, C.A., Noubiap, J.J., Nuñez-Samudio, V., Nwatah, V.E., Oancea, B., Ochir, C., Ogbo, F.A., Olagunju, A.T., Olakunde, B.O., Onwujekwe, O.E., Otstavnov, N., Otstavnov, S.S., Owolabi, M.O., Padubidri, J.R., Pakshir, K., Park, E.-C., Kan, F.P., Pathak, M., Paudel, R., Pawar, S., Pereira, J., Peres, M.F.P., Perianayagam, A., Pinheiro, M., Pirestani, M., Podder, V., Polibin, R.V., Pollok, R.C.G., Postma, M.J., Pottoo, F.H., Rabiee, M., Rabiee, N., Radfar, A., Rafiei, A., Rahimi-Movaghar, V., Rahman, M., Rahmani, A.M., Rahmawaty, S., Rajesh, A., Ramshaw, R.E., Ranasinghe, P., Rao, C.R., Rao, S.J., Rathi, P., Rawaf, D.L., Rawaf, S., Renzaho, A.M.N., Rezaei, N., Rezai, M.S., Rios-Blancas, M., Rogowski, E.L.B., Ronfani, L., Rwegerera, G.M., Saad, A.M., Sabour, S., Saddik, B., Saeb, M.R., Saeed, U., Sahebkar, A., Sahraian, M.A., Salam, N., Salimzadeh, H., Samaei, M., Samy, A.M., Sanabria, J., Sanmarchi, F., Santric-Milicevic, M.M., Sartorius, B., Sarveazad, A., Sathian, B., Sawhney, M., Saxena, D., Saxena, S., Seidu, A.-A., Seylani, A., Shaikh, M.A., Shamsizadeh, M., Shetty, P.H., Shigematsu, M., Shin, J.I., Sidemo, N.B., Singh, A., Singh, J.A., Sinha, S., Skryabin, V.Y., Skryabina, A.A., Soheili, A., Tadesse, E.G., Tamiru, A.T., Tan, K.-K., Tekalegn, Y., Temsah, M.-H., Thakur, B., Thapar, R., Thavamani, A., Tobe-Gai, R., Tohidinik, H.R., Tovani-Palone, M.R., Traini, E., Tran, B.X., Tripathi, M., Tsegaye, B., Tsegaye, G.W.,



Ullah, A., Ullah, S., Ullah, S., Unim, B., Vacante, M., Velazquez, D.Z., Vo, B., Vollmer, S., Vu, G.T., Vu, L.G., Waheed, Y., Winkler, A.S., Wiysonge, C.S., Yiğit, V., Yirdaw, B.W., Yon, D.K., Yonemoto, N., Yu, C., Yuce, D., Yunusa, I., Zamani, M., Zamanian, M., Zewdie, D.T., Zhang, Z.-J., Zhong, C., Zumla, A., Murray, C.J.L., Lim, S.S. and Mosser, J.F., 2021. Measuring routine childhood vaccination coverage in 204 countries and territories, 1980–2019: a systematic analysis for the Global Burden of Disease Study 2020, Release 1. *The Lancet*, 398(10299), pp.503–521. 10.1016/S0140-6736(21)00984-3.

Gmeinder, M., Morgan, D. and Mueller, M., 2017. *How much do OECD countries spend on prevention?* [online] OECD Health Working Papers: OECD Publishing, Paris. Available at: https://www.oecd.org/en/publications/how-much-do-oecd-countries-spend-on-prevention\_f19e803c-en.html .

Goldin, S., Brooks, D., Jorgensen, P., Wijesinghe, P., Cho, H., Attia, R., Doshi, R., Nogareda, F., Herring, B., Dumolard, L., Gibson, R., Chadwick, C., Desai, S., Vilajeliu, A., Lindstrand, A., Tempia, S., Mott, J. and Hess, S., 2024. Seasonal influenza vaccination: A global review of national policies in 194 WHO member states in 2022. *Vaccine*, 42(26), p.126274. 10.1016/j.vaccine.2024.126274.

Hampson, G., Neri, M., Napier, M. and Cookson, G., 2023. *Reimagining Prevention for a Healthier, More Prosperous Society*. [online] Available at: https://www.ohe.org/publications/reimagining-prevention .

Harmon, S.H.E., Faour, D.E., MacDonald, N.E., Graham, J.E., Steffen, C., Henaff, L. and Shendale, S., 2020. Immunization governance: Mandatory immunization in 28 Global NITAG Network countries. *Vaccine*, 38(46), pp.7258–7267. 10.1016/j.vaccine.2020.09.053.

Immunisation Control Division, 2024. *Standard Immunization Schedule*. [online] Available at: https://nip.kdca.go.kr/irhp/infm/goVcntInfo.do?menuLv=1&menuCd=115 [Accessed 23 Jan. 2025].

IQVIA, 2023. Understanding Current Immunization Funding, Decision-making, and Gaps in Vaccine Access and Coverage in Canada. [online] Available at: https://www.biotech.ca/wp-content/uploads/2023/06/BIOTECanada\_Vaccine-Funding-and-Access-Gap\_Final-Report\_May-2023.pdf [Accessed 23 Jan. 2025].

Kassianos, G., Banerjee, A., Baron-Papillon, F., Hampson, A.W., McElhaney, J.E., McGeer, A., Rigoine de Fougerolles, T., Rothholz, M., Seale, H., Tan, L.J., Thomson, A. and Vitoux, O., 2021. Key policy and programmatic factors to improve influenza vaccination rates based on the experience from four high-performing countries. *Drugs in Context*, 10, pp.2020-9–5. 10.7573/dic.2020-9-5.

Klausen, T., Hartig, V., Fuchs, D., Krueger, N., Jeltsch, V.M., Bild, R. and Scheible, R., 2024. A Digital Vaccination Pass Using Fast Healthcare Interoperability Resources: A Proof of Concept. *Digital*, 4(2), pp.389–409. 10.3390/digital4020019.

Lindmeier, C., 2019. *Countries must invest at least 1% more of GDP on primary health care to eliminate glaring coverage gaps*. [online] Available at: https://www.who.int/news/item/22-09-2019-countries-must-invest-at-least-1-more-of-gdp-on-primary-health-care-to-eliminate-glaring-coverage-gaps [Accessed 18 Mar. 2025].

Lo Moro, G., Ferrara, M., Langiano, E., Accortanzo, D., Cappelletti, T., De Angelis, A., Esposito, M., Prinzivalli, A., Sannella, A., Sbaragli, S., Vuolanto, P., Siliquini, R. and De Vito, E., 2023. Countering vaccine hesitancy: a systematic review of interventions to strengthen healthcare professionals' action. *European Journal of Public Health*, 33(5), pp.905–915. 10.1093/eurpub/ckad134.

MacDonald, N.E., Butler, R. and Dubé, E., 2018. Addressing barriers to vaccine acceptance: an overview. *Human Vaccines & Immunotherapeutics*, 14(1), pp.218–224. 10.1080/21645515.2017.1394533.





Marsico, A., Roscetti, C., Fraioli, A., Grecuccio, C., Cecili, A., Zaratti, L. and Franco, E., 2017. [Recall system for vaccinations in preschool children in a Local Health Unit in Rome, Italy]. *Igiene e sanita pubblica*, 73(3), pp.275–282.

Matteo, L.D. and Barbiero, T., 2020. Spend Less, Get More? Explaining Health Spending and Outcome Differences Between Canada and Italy. *Review of Economic Analysis*, 12(4), pp.403–438. 10.15353/rea.v12i4.1898.

Minakawa, M.M. and Frazão, P., 2023. The Trajectory of Brazilian Immunization Program between 1980 and 2018: From the Virtuous Cycle to the Vaccine Coverage Decline. *Vaccines*, 11(7), p.1189. 10.3390/vaccines11071189.

Ministère de la santé et de l'accès aux soins, 2024. *Le calendrier des vaccinations et recommandations vaccinales 2024*. [online] Ministère du Travail, de la Santé, des Solidarités et des Familles. Available at: https://sante.gouv.fr/prevention-en-sante/preserver-sa-sante/vaccination/calendrier-vaccinal [Accessed 23 Jan. 2025].

Ministry of Health, 2024. *Cartillas Nacionales de Salud Versión 2023*. [online] gob.mx. Available at: http://www.gob.mx/salud/documentos/cartillas-nacionales-de-vacunacion-version-2023 [Accessed 23 Jan. 2025].

Ministry of Health, Labour and Welfare, 2022. *Number of people receiving routine immunisations*. [online] Available at: https://www.mhlw.go.jp/topics/bcg/other/5.html [Accessed 24 Jan. 2025].

Momentum, IACG and USAID, 2024. *Immunisation Agenda (IA2030) Scorecard*. [online] Available at: https://scorecard.immunizationagenda2030.org [Accessed 31 Mar. 2025].

NHS England, 2023. NHS England » NHS vaccination strategy. [online] Available at: https://www.england.nhs.uk/long-read/nhs-vaccination-strategy/ [Accessed 24 Jan. 2025].

NIID, 2023. *Japan Immunization Schedule*. [online] Available at: https://www.niid.go.jp/niid/ja/vaccine-j/2525-v-schedule.html [Accessed 23 Jan. 2025].

OECD, 2024. *OECD Data Explorer* • *Health expenditure and financing*. [online] Available at: https://dataexplorer.oecd.org/vis?fs[0]=Topic%2C1%7CHealth%23HEA%23%7CHealth%20expenditure%20and%2 Ofinancing%23HEA\_EXP%23&fs[1]=Measure%2C0%7CExpenditure%23EXP\_HEALTH%23&pg=0&fc= Measure&snb=1&vw=tb&df[ds]=dsDisseminateFinalDMZ&df[id]=DSD\_SHA%40DF\_SHA&df[ag]=OECD .ELS.HD&df[vs]=1.0&dq=MEX%2BBRA%2BGBR%2BESP%2BKOR%2BJPN%2BITA%2BDEU%2BFRA%2 BCAN%2BAUS.A.EXP\_HEALTH.XDC.\_T..HCCOV3%2BHC62%2BHC6%2B\_T.\_T.\_T..\_Z%2BV&pd=2000 %2C2023&to[TIME\_PERIOD]=false [Accessed 23 Jan. 2025].

OECD, Eurostat and World Health Organization, 2017. A System of Health Accounts 2011: Revised Edition.

OsMed, 2024. National report on medicines use in Italy. [online] Available at: https://www.aifa.gov.it/en/uso-dei-farmaci-in-italia [Accessed 23 Jan. 2025].

Palmer, T.J., Kavanagh, K., Cuschieri, K., Cameron, R., Graham, C., Wilson, A. and Roy, K., 2024. Invasive cervical cancer incidence following bivalent human papillomavirus vaccination: a populationbased observational study of age at immunization, dose, and deprivation. *JNCI: Journal of the National Cancer Institute*, 116(6), pp.857–865. 10.1093/jnci/djad263.

Paterson, P., Mounier-Jack, S., Saliba, V., Yarwood, J., White, J., Ramsay, M. and Chantler, T., 2021. Strengthening HPV vaccination delivery: findings from a qualitative service evaluation of the



adolescent girls' HPV vaccination programme in England. *Journal of Public Health*, 43(1), pp.189–196. 10.1093/pubmed/fdz061.

Public Health Agency of Canada, 2007. *Recommended immunization schedules: Canadian Immunization Guide*. [education and awareness;guidance] Available at: https://www.canada.ca/en/public-health/services/publications/healthy-living/canadian-immunization-guide-part-1-key-immunization-information/page-13-recommended-immunization-schedules.html [Accessed 23 Jan. 2025].

Public Health Agency of Canada, 2024. *Provincial and Territorial Immunization Information*. [service description] Available at: https://www.canada.ca/en/public-health/services/provincial-territorial-immunization-information.html [Accessed 24 Jan. 2025].

Public Health Scotland, 2024. *Cancer incidence in Scotland - to December 2022*. [online] Available at: https://publichealthscotland.scot/publications/cancer-incidence-in-scotland/cancer-incidence-in-scotland-to-december-2022/ [Accessed 24 Jan. 2025].

Sáfadi, M.A.P., 2022. The importance of immunization as a public health instrument. *Jornal de Pediatria*, 99(Suppl 1), pp.S1–S3. 10.1016/j.jped.2022.12.003.

SBIM, 2024. CALENDÁRIO VACINAL SBIm 2024/2025. [online] Available at: https://sbim.org.br/images/calendarios/calend-sbim-0-100-2024-2025.pdf [Accessed 23 Jan. 2025].

Shattock, A.J., Johnson, H.C., Sim, S.Y., Carter, A., Lambach, P., Hutubessy, R.C.W., Thompson, K.M., Badizadegan, K., Lambert, B., Ferrari, M.J., Jit, M., Fu, H., Silal, S.P., Hounsell, R.A., White, R.G., Mosser, J.F., Gaythorpe, K.A.M., Trotter, C.L., Lindstrand, A., O'Brien, K.L. and Bar-Zeev, N., 2024. Contribution of vaccination to improved survival and health: modelling 50 years of the Expanded Programme on Immunization. *The Lancet*, 403(10441), pp.2307–2316. 10.1016/S0140-6736(24)00850-X.

Singh, P., Dhalaria, P., Kashyap, S., Soni, G.K., Nandi, P., Ghosh, S., Mohapatra, M.K., Rastogi, A. and Prakash, D., 2022. Strategies to overcome vaccine hesitancy: a systematic review. *Systematic Reviews*, 11(1), p.78. 10.1186/s13643-022-01941-4.

STIKO, 2025. *STIKO Immunisation Schedule*. [online] BMG. Available at: https://www.bundesgesundheitsministerium.de/en/topics/vaccinations.html [Accessed 23 Jan. 2025].

Tiley, K., Tessier, E., White, J.M., Andrews, N., Saliba, V., Ramsay, M. and Edelstein, M., 2020. Schoolbased vaccination programmes: An evaluation of school immunisation delivery models in England in 2015/16. *Vaccine*, 38(15), pp.3149–3156. 10.1016/j.vaccine.2020.01.031.

UKHSA, 2025. *Complete routine immunisation schedule from 1 January 2025*. [online] GOV.UK. Available at: https://www.gov.uk/government/publications/the-complete-routine-immunisation-schedule [Accessed 23 Jan. 2025].

Utami, A.M., Rendrayani, F., Khoiry, Q.A., Noviyanti, D., Suwantika, A.A., Postma, M.J. and Zakiyah, N., 2023. Economic evaluation of COVID-19 vaccination: A systematic review. *Journal of Global Health*, 13, p.06001. 10.7189/jogh.13.06001.

WHO, 2014. Global Health Expenditure Database. [online] Available at: https://apps.who.int/nha/database/ViewData/Indicators/en [Accessed 23 Jan. 2025].

WHO, 2021. Implementing the immunisation agenda 2030: A framework for Action through Coordinated Planning, Monitoring & Evaluation, Ownership & Accountability, and Communications & Advocacy. [online] Available at: https://cdn.who.int/media/docs/default-





source/immunization/strategy/ia2030/ia2030\_frameworkforactionv04.pdf?sfvrsn=e5374082\_1&dow nload=true [Accessed 31 Mar. 2025].

WHO, 2022. *Guiding Principles for Recovering, Building Resiliency, and Strengthening of Immunization in 2022 and Beyond*. 1st ed ed. Geneva: World Health Organization.

WHO, 2024a. *WHO Immunization Data portal*. [online] Immunization Data. Available at: https://immunizationdata.who.int/global [Accessed 23 Jan. 2025].

WHO, 2024b. WHO Mortality Database. [online] Mortality DB. Available at: https://platform.who.int/mortality/themes/theme-details/MDB/communicable-maternal-perinataland-nutritional-conditions [Accessed 23 Jan. 2025].

WHO Regional Office for Europe, 2024. *European Immunization Agenda 2030: technical progress report 2023.* [online] Available at: https://www.who.int/europe/publications/i/item/WHO-EURO-2024-10246-50018-75270 [Accessed 8 Jan. 2025].




# Appendix A: Country Score Cards





#### Australia



1.00

0.50

0.00

2017

2018

2019

deaths comprised 38% of these deaths in 2022.

In 2019, Australia was in the mid to high range of investment in immunisation and prevention, while also

Deaths from vaccine-preventable causes in Australia has been variable, even prior to the onset of COVID-19, ranging between 1 and 4 vaccine-preventable deaths per 100,000 of the population. Influenza-related

0 00

2022

demonstrating relatively high vaccine-preventable deaths compared to other countries.

2021

10

5

0

1.5

CAN

3.0

2.5

Vaccine-preventable mortality rate (per 100,000)

MEX


4.0


• JPN

4.5

34











#### Brazil









Preventior

 Before COVID-19 average spending on prevention and immunisation was around 1.5% of the total health expenditure (HE). At \$13 per person the share of total health spend per person on immunisation in 2019 was around one percent.

There was no data available for the years following 2019.












Note: Countries ranked in terms of the number of programmes.










- HPV coverage: Coverage for adolescent females reached the WHO 2030 target of 90% in 2017 but has since declined and remained between 67% and 73%.
- **Measles coverage**: MCV2 coverage has been increasing since 2021.
- Since the emergency phase of COVID-19, HPV coverage has remained largely unaffected at roughly 70%, Measles coverage was already declining prior to 2020 and has since been on the rise.



#### Canada








 Deaths from vaccine-preventable causes in Canada has been variable, even prior to the onset of COVID-19, ranging between one and five vaccine-preventable deaths per 100,000 of the population. Influenza-related deaths comprised 52% of these deaths in 2022.


 In 2019, Canada was in the mid to low range of investment in immunisation, while also demonstrating relatively low vaccine-preventable deaths compared to other countries.



# OHE



 HPV and measles vaccination rates were relatively unaffected during the emergency phase of COVID-19.





2016 2017 2018 2019 2020 2021 2022 2023


OFFICE OF HEALTH ECONOMICS CONTRACT RESEARCH




#### France









OFFICE OF HEALTH ECONOMICS CONTRACT RESEARCH





#### Germany







Before COVID-19 average spending on prevention and immunisation was **less than 3.5%** of the total health expenditure (HE). At slightly over \$30 per person, the share of total health spend per person on immunisation in 2019 was 0.4%.

- During COVID-19, average spending on **prevention and immunisation more than doubled to 7.8%** of total health expenditure.
- Average immunisation spending over this period quadrupled to \$115 per capita, but still less than 1.8% of total health expenditure.

\*Immunisation is shown with one decimal place due to its small proportion. Other values are rounded to whole numbers, so totals may not sum to 100%.









Additional programmes available to all in rank 1 country

\* Routine for 60+ years. † Routine for 60-70 years. ‡ Routine for 75+ years.


Programmes available to all








#### Italy




\*Immunisation is shown with one decimal place due to its small proportion. Other values are rounded to whole numbers, so totals may not sum to 100%.



ohe.org

# OHE



Programmes available to all Programmes available to risk groups Additional programmes available to all in rank 1 country Additional programmes available to risk groups in rank 1 country

٢

Italy ranks **higher for its** adult vaccination schedule than that for children.

Still, promotion of child immunisation is strong, with **non-compliance** leading to denied school admission (Partouche et al., 2019).

Other relevant child vaccines yet to be provided are RSV and COVID-19 which have been added recently by Germany and Spain (RSV) and France (COVID-19) (EpiCentro, 2023).

# Programmes Country rank


4<sup>th</sup>

3rd

30

16

14



Total Immunisation programmes

Childhood Immunisation programmes



#### Japan




\*Immunisation is shown with one decimal place due to its small proportion. Other values are rounded to whole numbers, so totals may not sum to 100%.


Deaths due to vaccine-preventable Immunisation Expenditure vs Vaccine illnesses, per 100,000 of the population preventable deaths (2019) itable causes 🔳 Influenza deaths Immunisation expenditure per capita 35 4.50 DEU 30 4.00 3.50 25 20 • UK 2.50 15 2.00 FRA BRA KOF ITA 1.50 CAN • 1.00 5 • MEX • JPN 0.50 0 1.5 2.5 3.0 4.0 4.5 2017 2018 2019 2020 2021 Vaccine-preventable mortality rate (per 100,000) . Japan experiences roughly 3-4 vaccine-preventable deaths per 100,000 annually. Influenza-related deaths comprised a significant proportion (31%) of vaccine-preventable deaths for the causes considered in 2019.

 In 2019, Japan was low in terms of immunisation investment, while also demonstrating the most vaccine-preventable deaths compared to other countries.





Note: Countries ranked in terms of the number of programmes.




- Influenza coverage: Japan achieves moderate coverage levels for influenza. There was an uptick in vaccination rates in 2020, and subsequent decline. Data have not been available on adult influenza coverage in Japan since 2021.
- HPV coverage: Adolescent HPV vaccination rates are low over the period, but have seen a large increase since 2020, plateauing at 35% in 2023.
- Measles coverage: MCV2 vaccination rates have remained consistently over 90% across the period.






#### Mexico





- Mexico experiences roughly four vaccine-preventable deaths per 100,000 annually. Influenza-related deaths comprise a low proportion of vaccine-preventable illness.
- In 2019, Mexico was low in terms of immunisation investment, while also reporting one of highest vaccine-preventable death rates compared to other countries.





Child measles dose 2
 Child measles dose 2
 Child measles dose 2
 COVID-19 levels.
 Measles coverage: MCV2 vaccination rates were steadily declining prior to 2020. Since 2021 there has been a subsequent uptick in reported coverage levels.





ohe.org


2016 2017



#### South Korea









- During COVID-19, average spending on prevention and immunisation nearly trebled and **grew to 8.7%** of total healthcare expenditure.
- Over this time, average immunisation spending more than quadrupled to over \$51 per capita, but still **less than 2%** of total health expenditure.

50

Other values are rounded to whole numbers, so totals may not sum to 100%
Deaths due to vaccine preventable

\*Immunisation is shown with one decimal place due to its small proportion.






- South Korea experiences roughly 3-4 vaccine-preventable deaths per 100,000 annually. Influenza-related deaths comprise a low proportion of vaccine-preventable illness (8% in 2019).
- In 2019, South Korea was in the mid-range of immunisation investment, while also demonstrating average vaccine-preventable deaths compared to other countries.







ohe.org


\*Influenza coverage unavailable for South Korea

OFFICE OF HEALTH ECONOMICS CONTRACT RESEARCH


51



#### UK




\*Immunisation is shown with one decimal place due to its small proportion. Other values are rounded to whole numbers, so totals may not sum to 100%.



- The UK experiences roughly 2-3 vaccine-preventable deaths per 100,000 annually. Influenza-related deaths comprise a significant proportion (between 27% and 55%) of vaccine-preventable deaths for the causes considered.
- In 2019, the UK was the 3<sup>rd</sup> biggest investor in immunisation and prevention, while also demonstrating relatively low vaccine-preventable deaths compared to other countries.





53




## Appendix B: The International Classification of Health Accounts (ICHA)

HCTOT:	All functions (Total health care expenditure)
HC.1	Curative care
HC.2	Rehabilitative care
HC.3	Long-term care (health)
HC.4	Ancillary services (non-specified by function)
HC.5	Medical goods (non-specified by function)
HC.6	Preventative care
HC.7	Governance, and health system and financing administration
HC.0	Other health care services not otherwise classified
HC.6:	Preventive care (Prevention expenditure)
HC.6.1	Information, education and counselling programmes
HC.6.2	Immunisation programmes
HC.6.3	Early disease detection programmes
HC.6.4	Healthy condition monitoring programmes
HC.6.5	Epidemiological surveillance and risk and disease control programmes
HC.6.6	Preparing for disaster and emergency response programmes
HC.6.2	Immunisation programmes (Immunisation expenditure)
	In order to prevent the development of a disease, before or after exposure, through the use of pharmaceutical products, such as vaccines. This is primary prevention. It can involve consumption by specific individuals in a campaign or in continued programme operations. The expenditure involved in the consultation, both for the time and skills of the personnel and the purchase of the vaccine itself, should be accounted for.



# Appendix C: Data availability for coverage

FIGURE C.1: DATA AVAILABILITY FOR COVERAGE OF ADULT IMMUNISATION PROGRAMMES



More than 5 years of data Less than 5 years of data No data Not included in NIP

### FIGURE C.2: DATA AVAILABILITY FOR COVERAGE OF ADOLESCENT IMMUNISATION PROGRAMMES





FIGURE C.3: DATA AVAILABILITY FOR COVERAGE OF CHILD IMMUNISATION PROGRAMMES



55









## Appendix D: Robustness check using PPP-adjusted expenditure

#### FIGURE D.1: PREVENTION EXPENDITURE VS GDP PER CAPITA (2019)









#### FIGURE D.3: PREVENTION EXPENDITURE VS VACCINE PREVENTABLE DEATHS





FIGURE D.4: IMMUNISATION EXPENDITURE VS VACCINE PREVENTABLE DEATHS





#### TABLE D.1: REGRESSION ANALYSIS OF THE ASSOCIATION BETWEEN IMMUNISATION EXPENDITURE (PPP ADJUSTED, INT \$) AND VACCINE-PREVENTABLE DEATHS (2017-2019)

	Vaccine-preventable deaths per 100,000 of the population
Immunisation expenditure per capita (INT \$)	-0.0327* (0.0122)
GDP per capita (USD)	0.0000262 (0.0000219)
Total population	0.00000012 (6.44e-09)
Time trend	0.00463 (0.0638)
Constant	-7.725 (129.0)
N (number of countries x number of years)	30

Notes: Pooled Ordinary Least Squares (OLS) regression analysis. Robust standard errors included in parentheses below coefficients. \* p<0.05, \*\* p<0.01, \*\*\* p<0.001



#### About us

With over 60 years of expertise, the Office of Health Economics (OHE) is the world's oldest independent health economics research organisation. Every day we work to improve health care through pioneering and innovative research, analysis, and education.

As a global thought leader and publisher in the economics of health, health care, and life sciences, we partner with Universities, Government, health systems and the pharmaceutical industry to research and respond to global health challenges.

As a government-recognised Independent Research Organisation and not-for-profit, our international reputation for the quality and independence of our research is at the forefront of all we do. OHE provides independent and pioneering resources, research and analyses in health economics, health policy and health statistics. Our work informs decision-making about health care and pharmaceutical issues at a global level.

All of our work is available for free online at www.ohe.org.

#### Areas of expertise

- Evaluation of health policy
- · The economics of health care systems
- Health technology assessment (HTA) methodology and approaches
- HTA's impact on decision making, health care spending and the delivery of care
- Pricing and reimbursement for biologics and pharmaceuticals, including valuebased pricing, risk sharing and biosimilars market competition
- The costs of treating, or failing to treat, specific diseases and conditions
- Drivers of, and incentives for, the uptake of pharmaceuticals and prescription medicines
- Competition and incentives for improving the quality and efficiency of health care
- Incentives, disincentives, regulation and the costs of R&D for pharmaceuticals and innovation in medicine
- Capturing preferences using patient-reported outcomes measures (PROMs) and time trade-off (TTO) methodology
- Roles of the private and charity sectors in health care and research
- Health and health care statistics

ohe.org

The Office of Health Economics A Company Limited by Guarantee of Registered No.09848965 OHE Consulting Ltd Registered Company No.09853113 OHE is a Charity Registration No.1170829 Registered Office 2nd Floor Goldings House, Hay's Galleria, 2 Hay's Lane, London, SE1 2HB